

	Typ e	Hits	Search Text	DBs	Time Stamp
1	BRS	15529	memory near6 (protect\$4 or secur\$4 or (irreversible near2 block\$4))	USPAT ; US-PG PUB; IBM_T DB	2003/08/04 14:48
2	BRS	6901	(memory near6 (protect\$4 or secur\$4 or (irreversible near2 block\$4))) with (writ\$4 or stor\$3 or sav\$4)	USPAT ; US-PG PUB; IBM_T DB	2003/08/04 14:45
3	BRS	8804	((data near3 (stor\$3 or sav\$4 or writ\$4 or wrote))near6(protect\$4 or secur\$4 or (irreversible near2 block\$4)))	USPAT ; US-PG PUB; IBM_T DB	2003/08/04 14:47
4	BRS	8805	((data near3 (stor\$3 or sav\$4 or writ\$4 or wrote))near6(protect\$4 or secur\$4 or (irreversibl\$3 near2 block\$4)))	USPAT ; US-PG PUB; IBM_T DB	2003/08/04 14:50
5	BRS	2386	((((data near3 (stor\$3 or sav\$4 or writ\$4 or wrote))near6(protect\$4 or secur\$4 or (irreversibl\$3 near2 block\$4)))) with memory	USPAT ; US-PG PUB; IBM_T DB	2003/08/04 14:48
6	BRS	2010	memory near6 ((protect\$4 or secur\$4 or (irreversible near2 block\$4))near4 (block or port\$4 or part\$6 or segment\$1))	USPAT ; US-PG PUB; IBM_T DB	2003/08/04 14:50
7	BRS	4	(memory near6 ((protect\$4 or secur\$4 or (irreversible near2 block\$4))near4 (block or port\$4 or part\$6 or segment\$1))) with((subsequent\$3 near4 (stor\$3 or sav\$4 or writ\$4 or wrote)))	USPAT ; US-PG PUB; IBM_T DB	2003/08/04 17:07
8	BRS	6	(memory near6 ((protect\$4 or secur\$4 or (irreversible near2 block\$4))near4 (block or port\$4 or part\$6 or segment\$1))) with(((subsequent\$3 or over\$writ\$6)near4 (stor\$3 or sav\$4 or writ\$6 or wrote)))	USPAT ; US-PG PUB; IBM_T DB	2003/08/04 17:37

	Type	Hits	Search Text	DBs	Time Stamp
9	BRS	3	(memory near6 ((protect\$4 or secur\$4 or (irreversible near2 block\$4))near4 (block or port\$4 or part\$6 or segment\$1))) with(((subsequent\$3 or over\$writ\$6)near4 (stor\$3 or sav\$4 or writ\$6 or wrote)))	EPO; JPO; DERWE NT	2003/08/04 17:40
10	BRS	1498	moller.inv.	EPO; JPO; DERWE NT	2003/08/04 17:39
11	BRS	214	moller.inv.	EPO	2003/08/04 17:46
12	BRS	0	moller.inv. and ((memory near6 ((protect\$4 or secur\$4 or (irreversible near2 block\$4))near4 (block or port\$4 or part\$6 or segment\$1))) with(((subsequent\$3 or over\$writ\$6)near4 (stor\$3 or sav\$4 or writ\$6 or wrote))))	EPO; JPO; DERWE NT	2003/08/04 17:40
13	BRS	0	moller.inv. and (((protect\$4 or secur\$4 or (irreversible near2 block\$4))near4 (block or port\$4 or part\$6 or segment\$1))) with(((subsequent\$3 or over\$writ\$6)near4 (stor\$3 or sav\$4 or writ\$6 or wrote))))	EPO; JPO; DERWE NT	2003/08/04 17:44
14	BRS	1	moller.inv. and (((protect\$4 or secur\$4 or (irreversible near2 block\$4))near4 (block or port\$4 or part\$6 or segment\$1))) with memory)	EPO; JPO; DERWE NT	2003/08/04 17:41
15	BRS	14	moller.inv. and (((protect\$4 or secur\$4 or (irreversible near2 block\$4))near4 (block or port\$4 or part\$6 or segment\$1))) withmemory)	EPO; JPO; DERWE NT	2003/08/04 17:42
16	BRS	9	moller.inv. and (data near3 processing)	EPO; JPO; DERWE NT	2003/08/04 17:45
17	BRS	34	moller.inv.	JPO	2003/08/04 17:48
18	BRS	0	ericsson.asn.	JPO	2003/08/04 17:49
19	BRS	2	ericsson.asn. and (data near2 process\$3)	JPO	2003/08/04 17:50
20	BRS	0	ericsson.asn. and (data near2 secur\$5)	JPO	2003/08/04 17:53
21	BRS	0	ericsson.asn. and (data near2 protect\$5)	JPO	2003/08/04 17:50
22	BRS	90	ericsson.asn.	JPO	2003/08/04 17:50

	Typ e	Hits	Search Text	DBs	Time Stamp
23	BRS	0	ericsson.asn. and (data near5 (protect\$3 or secur\$5))	JPO	2003/08/04 17:53
24	BRS	1	moller.inv. and (data near5 (protect\$3 or secur\$5))	EPO; JPO; DERWE NT	2003/08/04 17:55
25	BRS	6429	boot near5 (protect\$4 or secur\$4 or (irreversible near3 block\$4) or block\$4)	USPAT ; US-PG PUB; IBM_T DB	2003/08/05 11:52
26	BRS	20	(boot near5 (protect\$4 or secur\$4 or (irreversible near3 block\$4) or block\$4)) with (over\$writ\$6 or ((over or subsequent\$6)adj3 writ\$6))	USPAT ; US-PG PUB; IBM_T DB	2003/08/05 10:09
27	BRS	2289	boot near5 (protect\$4 or secur\$4 or (irreversible near3 block\$4) or block\$4)	EPO; JPO; DERWE NT	2003/08/05 09:11
28	BRS	1	(boot near5 (protect\$4 or secur\$4 or (irreversible near3 block\$4) or block\$4)) with (over\$writ\$6 or ((over or subsequent\$6)adj3 writ\$6))	EPO; JPO; DERWE NT	2003/08/05 09:31
29	BRS	866	(over\$writ\$6 or ((over or subsequent\$6)adj3 writ\$6))near5 (protect\$4 or secur\$4)	USPAT ; US-PG PUB; IBM_T DB	2003/08/05 09:32
30	BRS	1	((over\$writ\$6 or ((over or subsequent\$6)adj3 writ\$6))near5 (protect\$4 or secur\$4)) with irreversible	USPAT ; US-PG PUB; IBM_T DB	2003/08/05 09:32
31	BRS	6	((over\$writ\$6 or ((over or subsequent\$6)adj3 writ\$6))near5 (protect\$4 or secur\$4)) same irreversible	USPAT ; US-PG PUB; IBM_T DB	2003/08/05 09:36
32	BRS	233	((over\$writ\$6 or ((over or subsequent\$6)adj3 writ\$6))near5 (protect\$4 or secur\$4)) with memory	USPAT ; US-PG PUB; IBM_T DB	2003/08/05 09:35

	Type	Hits	Search Text	DBs	Time Stamp
33	BRS	0	((over\$writ\$6 or ((over or subsequent\$6)adj3 writ\$6))near5 (protect\$4 or secur\$4)) with memory ) same irreversible	USPAT; US-PG PUB; IBM_T DB	2003/08/05 09:36
34	BRS	5	((over\$writ\$6 or ((over or subsequent\$6)adj3 writ\$6))near5 (protect\$4 or secur\$4)) with memory ) and irreversible	USPAT; US-PG PUB; IBM_T DB	2003/08/05 13:02
35	BRS	2	(boot near5 (protect\$4 or secur\$4 or (irreversible near3 block\$4) or block\$4)) same irreversible	USPAT; US-PG PUB; IBM_T DB	2003/08/05 09:38
36	BRS	1	5355498.pn.	USPAT; US-PG PUB; IBM_T DB	2003/08/05 10:11
37	BRS	1	5293610.pn.	USPAT; US-PG PUB; IBM_T DB	2003/08/05 10:11
38	BRS	1	5144314.pn.	USPAT; US-PG PUB; IBM_T DB	2003/08/05 10:12
39	BRS	1	4975870.pn.	USPAT; US-PG PUB; IBM_T DB	2003/08/05 10:12
40	BRS	1	4958323.pn.	USPAT; US-PG PUB; IBM_T DB	2003/08/05 10:12

	Typ e	Hits	Search Text	DBs	Time Stamp
41	BRS	25	(boot near5 (protect\$4 or secur\$4 or (irreversible near3 block\$4) or block\$4)) and ((writ\$6 or stor\$3 or sav\$3)near4 fus\$6)	USPAT ; US-PG PUB; IBM_T DB	2003/08/05 10:38
42	BRS	0	(boot near4 (protect\$4 or secur\$4)) with ((irreversible or unalter\$4 or unchangeable)near3 (section\$1 or partition\$1 or segment\$1 or block\$4 or section\$1))	USPAT ; US-PG PUB; IBM_T DB	2003/08/05 11:55
43	BRS	3	((over\$writ\$5 or (over or subsequ\$7)) near4 (protect\$4 or secur\$4)) with ((irreversible or unalter\$4 or unchangeable)near3 (section\$1 or partition\$1 or segment\$1 or block\$4 or section\$1))	USPAT ; US-PG PUB; IBM_T DB	2003/08/05 11:58
44	BRS	2	((protect\$4 or secur\$4)near4 (data or code or software or program)) with ((irreversible or unalter\$4 or unchangeable)near3 (section\$1 or partition\$1 or segment\$1 or block\$4 or section\$1))	USPAT ; US-PG PUB; IBM_T DB	2003/08/05 12:46
45	BRS	0	((protect\$4 or secur\$4)near4 (data or code or software or program)) with ((irreversible or unalter\$4 or unchangeable)near3 (section\$1 or partition\$1 or segment\$1 or block\$4 or section\$1))	EPO; JPO; DERWE NT	2003/08/05 12:47
46	BRS	32	((selecti\$5 near3 (prevent\$3 or protect\$4 or block\$3 or secur\$3)) with (over\$writ\$5 or ((over or subsequent or ir\$reversible)near2 writ\$5))) same (memory or storage)	USPAT ; US-PG PUB; IBM_T DB	2003/08/05 13:06
47	BRS	54	(selecti\$5 near3 (prevent\$3 or protect\$4 or block\$3 or secur\$3)) with (over\$writ\$5 or ((over or subsequent or ir\$reversible)near2 writ\$5))	USPAT ; US-PG PUB; IBM_T DB	2003/08/05 14:00